

Final Exam

Answer all 15 questions for a total of 90 points. You may use a TI 36X iiS scientific calculator. No other electronic devices are permitted. Write your solutions in the accompanying blue book, and put a box around your final answers. If you solve the problems out of order, please skip pages so that your solutions stay in order. Good luck!

Financial Math Formulas

$$I = Prt, \quad A = (1 + i)^n P$$

$$FV = R \cdot \frac{(1 + i)^n - 1}{i}, \quad PV = R \cdot \frac{1 - (1 + i)^{-n}}{i}$$

1. (5 points) In a Finite Math class, 20% of students are from Illinois, 75% are freshmen and 15% are neither. Find the percentage of students who are both from Illinois and freshmen.
2. (5 points) Two hundred students were asked which fast food restaurants they had visited in the past month. The results are as follows:
 - 81 ate at McDonald's
 - 91 ate at Taco Bell
 - 75 ate at Wendy's
 - 29 ate at McDonald's and Taco Bell
 - 37 ate at Taco Bell and Wendy's
 - 23 ate at Wendy's and McDonald's
 - 16 ate at all three.

Determine how many ate only at Wendy's.

3. Suppose you roll two dice. Find the probability of the following events:
 - (a) (5 points) The sum of the dice is at least 9.
 - (b) (5 points) The sum of the dice is 6 given that at least one die shows 4.
4. Suppose E and F are events such that $P(E) = 0.63$, $P(F) = 0.56$, and $P(E \cup F) = 0.88$.
 - (a) (5 points) Find $P(E|F)$.
 - (b) (3 points) Are E and F independent? Explain.
 - (c) (2 points) Are E and F mutually exclusive? Explain.
5. (5 points) A sample of registered voters in a town in Arizona were asked about their voting preferences in the last 2022 elections. The results were the following.
 - 54% of Independent voted by mail.
 - 27% of Republicans voted by mail.
 - 72% of Democrats voted by mail.

Suppose the sample is split as follows: 25% Independent, 30% Republicans and 45% Democrats. A voter is randomly selected, and the voter voted by mail. Find the probability that the voter is a Republican.

6. (5 points) How many 10-digit telephone numbers are possible if the last digit cannot be zero or 1, the first 3 digits are 629, and repetition is allowed?

7. (5 points) A class consists of 20 students: 8 from Nevada, 5 from Michigan, and 7 from Georgia. The professor wants to form a study group with 3 students. How many groups consists of at most 1 student from Nevada?
8. (5 points) A box contains 9 balls: 3 blue and 6 red. You pick 3 balls at random, without replacement. Find the probability that you pick more blue balls than red balls.
9. (5 points) The probability that a certain machine turns out a defective item is 0.04. Find the probability that in a run of 25 items, the machine produces exactly 3 defective items (assume independence between items).
10. (5 points) A game of dice works as follows. You roll two dice. If the sum of the dice is 9, you win \$9. If the sum is at most 3, you win \$12. Otherwise, you win nothing. Let x denote your winnings. Find the probability distribution and expected value of x .
11. Assume finishing times for 5k races are normally distributed with $\mu = 28.4$ minutes and standard deviation $\sigma = 4.2$ minutes.
 - (a) (5 points) Find the probability that a runner takes more than 30 minutes to finish a 5K race.
 - (b) (5 points) Suppose only 6.3% of the runners finished before Serena. How long did Serena take to finish the race?
12. (5 points) Martin opens a savings account with an annual interest rate of 3.6% compounded monthly and schedules monthly deposits of \$500 (at the end of each month). How much money will be in the account after 20 years?
13. (5 points) Find the amount of money that would have to be deposited today into a savings account that earns an annual interest rate of 4.8% compounded quarterly in order to have \$5,000 in 5 years.
14. (5 points) Maria borrows \$2,250 from her cousin and agrees to pay her back in 4 months at 6% simple interest rate. Find the total amount she repays her cousin.
15. (5 points) Deanna owes \$1,400 on a credit card that charges an annual interest rate of 22.2% compounded monthly. She decides to pay off the amount in 7 equal monthly payments. How much money does she need to pay each month?




Table 2 — Area Under a Normal Curve to the Left of z , where $z = \frac{x - \mu}{\sigma}$

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0017	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0352	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0722	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

(continued)

A-14 Appendix D

Table 2 — Area Under a Normal Curve *(continued)*

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9278	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998