Name: *ANSWER KEY *

7/19/2022

SLOPE m = - =

1. Find the slope of the line through the points P(6,3) and Q(2,0).

SLOPE
$$m = \frac{1}{x_1 - x_1} = \frac{0 - 3}{2 - 6} = \frac{-3}{-4} = \frac{3}{4}$$

2. Find an equation of the line through the point (1, -4) that if parallel to the line x + 2y + 6 = 0.

2y = -x - 6 $y = -\frac{1}{2}x - 3$ POINT-SLIPE FURNILLA y- y = m (x-x) y - (-4) = - (x -1)

- 2. $\frac{y+4=-\frac{1}{2}(x-1)}{\int_{0}^{\infty} \cos y=-\frac{1}{2}x-\frac{7}{2}}$ 3. Find all real solutions to $0 = x^2 - 4x + 1$.

$$2 \pm \sqrt{3} = X$$
on us Guadratic Farmula:
$$X = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} = \frac{4 \pm \sqrt{4^2 - 4}}{2} = \dots$$

4. Find all real solutions to $\frac{4x}{x^2+4}=1$.

Choss muchiply:
$$4x = x^{2} + 4$$
 $x - 2 = 0$

$$0 = x^{2} - 4x + 4$$
 $x = 2$

$$0 = (x - 2)^{2}$$

4. 2

5. Use interval notation to state the solutions to the inequality $4x + 7 < \frac{3}{2}$.

$$4x < \frac{3}{2} - 7$$


$$4x < -\frac{11}{2}$$

$$x < -\frac{11}{8}$$

$$(-\omega, -\frac{11}{8})$$

6. Use interval notation to state the solutions to the inequality $2x^2 + 5x \ge 0$.





$$6. \frac{\left(-\infty, -\frac{5}{2}\right) \cup \left[0, \infty\right)}{}$$

7. Evaluate f(2) + f(-1) when $f(x) = x^3 - 3x$.

$$f(z) = (z)^3 - 3(z) = 8 - 6 = 2$$

 $f(-1) = (-1)^3 - 3(-1) = -1 + 3 = 2$

$$f(z) + f(-1) = 2 + 2 = 4$$

_{7.} _____


8. Use interval notation to state the domain of the function $f(x) = \sqrt{1 - 5x}$.

$$1-5x \ge 0$$

$$1 \ge 5x$$

$$\frac{1}{5} > x \quad i.e. \quad x < \frac{1}{5}$$

9. Use the grah below to find the value of x at each local maximum.



9. -2 ¿ 1

10. Determine the net change of $r(t) = 6 - \frac{t}{6}$ from t = 6 to t = 12.

$$\Gamma(b) - \Gamma(a) = \Gamma(12) - \Gamma(6) = \left[6 - \frac{12}{6}\right] - \left[6 - \frac{6}{6}\right] = 4 - 5 = -1$$

(a < b)

10. ______

11. Find $f^{-1}(10)$ when f(x) = 6x + 7.

$$\downarrow$$
10 = 6× + 7
$$3 = 6×$$

$$\frac{1}{7} = ×$$

FOR WHAT VALUE OF X DOES F(x) = 10?

CHECK:
$$f(\frac{1}{2}) = 10$$
. Thus $f^{-1}(10) = \frac{1}{2}$

11. ______

12. Evaluate g(f(2)) when f(x) = 5x - 2 and $g(x) = 3 - x^2$.

12. -61

13. Use the table below to evaluate g(f(3)).

x	1	2	3	4	5	6
f(x)	2	3	5	1	6	3
g(x)	3	5	6	2	1	4

13. ______

14. True of false: f(x) = 4 - 3x is the inverse of $g(x) = \frac{3 - x}{4}$.

This is thus if
$$\frac{1}{4}$$
 out if $\frac{1}{4} = \frac{1}{4} = \frac{1}{4} = \frac{1}{4} = \frac{7+3\times}{4} = \frac{7+3\times}{$

14. FALSE

15. Find a formula for the inverse of $f(x) = 2x^3 - 5$.

$$y = 2x^{3} - 5$$

$$\frac{y + 5}{2} = x^{3}$$

$$x = \left(\frac{y + 5}{2}\right)^{\frac{1}{3}}$$
This is $f^{-1}(y)$

$$f^{-1}(x) = \left(\frac{x+5}{2}\right)^{1/3}$$

16. Find the vertex of the parabola $y = x^2 + 4x$.


$$y = x^{2} + 4x + 4 - 4$$

 $y = (x + 2)^{2} - 4$
 $-h = 2$
 $h = -2$

STANDARD FORM
$$y = a(x-k)^2 + k$$

VERTEX (h, k)


17. Use interval notation to state the range of the quadratic function $h(x) = -x^2 - 4x + 4$.



18. Find all x-intercepts of the graph $y = -x^3 + 3x^2$.


$$0 = -x^{2}(x-3)$$
 $-x^{2} = 0$ on $x-3=0$
 $x = 0$

19. Make a rough sketch of the graph of the polynomial $P(x) = x^4 - 9x^2$.



20. Sketch the graph of the function

$$f(x) = \begin{cases} 1 - x & \text{if } x \le 0 \\ x & \text{if } x > 0 \end{cases}$$



21. Sketch the graph $y=-\sqrt{x+2}$ not by plotting points but by starting with the graph of a standard function and applying transformations.

